

○文部科学省告示第 号

研究開発等に係る遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置等を定める

省令（平成十六年 文部科学省 環境省 令第一号）第二条第十三号、第三条の表第一号から第四号まで、第五条

第一号ロ並びに別表第一第一号イ、ロ並びに第二号ニの規定に基づき、研究開発等に係る遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置等を定める省令の規定に基づき認定宿主ベクター系等を定める件の一部を改正する告示を次のように定める。

令和七年 月 日

文部科学大臣 阿部 俊子

研究開発等に係る遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置等を定める省令の規定に基づき認定宿主ベクター系等を定める件の一部を改正する告示

研究開発等に係る遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置等を定める省令の規定に基づき認定宿主ベクター系等を定める件（平成十六年文部科学省告示第七号）の一部を次のように改正する。

次の表により、改正前欄に掲げる規定の傍線を付し又は破線で囲んだ部分をこれに順次対応する改正後欄に掲げる規定の傍線を付し又は破線で囲んだ部分のように改め、改正前欄及び改正後欄に対応

して掲げるその標記部分に二重傍線を付した規定（以下「対象規定」という。）は、その標記部分が異なるものは改正前欄に掲げる対象規定を改正後欄に掲げる対象規定として移動し、改正後欄に掲げる対象規定で改正前欄にこれに対応するものを掲げていないものは、これを加える。

改正後

改正前

（核酸供与体が第三条の表各号の下欄に掲げるもの以外のもの又はクラス4である遺伝子組換え生物等）

第四条 省令別表第一第一号イ及びロの文部科学大臣が定める遺伝子組換え生物等は、Baculovirusが宿主である場合とする。

（自立的な増殖力及び感染力を保持したウイルス及びウイロイド）

第五条 省令別表第一第二号ニの文部科学大臣が定めるウイルス及びウイロイドは、別表第三に掲げるとおりとする。

「条を加える。」

（自立的な増殖力及び感染力を保持したウイルス及びウイロイド）

第四条 省令別表第一第一号への文部科学大臣が定めるウイルス及びウイロイドは、別表第三に掲げるとおりとする。

別表第2（第2条関係）

別表第2（第2条関係）

区分	微生物等
1 省令第三条の表第一号の文部科学大臣が定める	(1) [略]
	(2) [略]
	(3) [略]
	(4) [略]
	(5) [略]

区分	微生物等
1 省令第三条の表第一号の文部科学大臣が定める	(1) [同上]
	(2) [同上]
	(3) [同上]
	(4) [同上]
	(5) [同上]

物等		物等	
令 第三条の 第二号の 文部科学 大臣が定め る微生物等	(1) 原核生物のうち、次に掲げるもの(科学的知見により哺乳動物等に対する病原性がないとされているものを除く。) <i>Acinetobacter baumannii</i> <i>Acinetobacter calcoaceticus</i> <i>Actinobacillus capsulatus</i> <i>Actinobacillus equuli</i> <i>Actinobacillus lignieresii</i> <i>Actinobacillus pleuropneumoniae</i> <i>Actinobacillus suis</i> <u><i>Actinobacillus ureae</i></u> <i>Actinomadura madurae</i> <i>Actinomadura pelletieri</i> <i>Actinomyces bovis</i> <i>Actinomyces israelii</i> <i>Actinomyces viscosus</i> <i>Aeromonas hydrophila</i> <i>Aeromonas sobria</i> <i>Aeromonas veronii</i> <i>Aggregatibacter actinomycetem-comitans</i> <i>Anaplasma bovis</i> <i>Anaplasma marginale</i> <i>Anaplasma ovis</i> <i>Anaplasma phagocytophilum</i> <i>Arcanobacterium haemolyticum</i> <i>Avibacterium paragallinarum</i> (別名 <i>Haemophilus paragallinarum</i>) <i>Bacillus anthracis</i> (34F2株及び <i>Davis</i> 株に限る。) <i>Bacillus cereus</i> <i>Bacteroides fragilis</i>	令 第三条の 第二号の 文部科学 大臣が定め る微生物等	(1) 原核生物のうち、次に掲げるもの(科学的知見により哺乳動物等に対する病原性がないとされているものを除く。) <i>Acinetobacter baumannii</i> <i>Acinetobacter calcoaceticus</i> <i>Actinobacillus capsulatus</i> <i>Actinobacillus equuli</i> <i>Actinobacillus lignieresii</i> <i>Actinobacillus pleuropneumoniae</i> <i>Actinobacillus suis</i> <i>Actinobacillus ureae</i> (旧分類名 <u><i>Pasteurella ureae</i></u>) <i>Actinomadura madurae</i> <i>Actinomadura pelletieri</i> <i>Actinomyces bovis</i> <i>Actinomyces israelii</i> <i>Actinomyces viscosus</i> <i>Aeromonas hydrophila</i> <i>Aeromonas sobria</i> <i>Aeromonas veronii</i> <i>Aggregatibacter actinomycetem-comitans</i> <i>Anaplasma bovis</i> <i>Anaplasma marginale</i> <i>Anaplasma ovis</i> <i>Anaplasma phagocytophilum</i> <i>Arcanobacterium haemolyticum</i> <i>Avibacterium paragallinarum</i> (別名 <i>Haemophilus paragallinarum</i>) <i>Bacillus anthracis</i> (34F2株及び <i>Davis</i> 株に限る。) <i>Bacillus cereus</i> <i>Bacteroides fragilis</i>

Bartonella alsatica
Bartonella bacilliformis
Bartonella birtlesii
Bartonella bovis
Bartonella capreoli
Bartonella clarridgeiae
Bartonella doshae
Bartonella elizabethae
Bartonella grahamii
Bartonella henselae
Bartonella koehlerae
Bartonella quintana
Bartonella schoenbuchensis
Bartonella taylorii
Bartonella tribocorum
Bartonella vinsonii
Bibersteinia trehalosi
Bordetella avium
Bordetella bronchiseptica
Bordetella holmesii
Bordetella parapertussis
Bordetella pertussis
*Borrelia*属全種
Brachyspira hyodysenteriae (別名 *Serpulina hyodysenteriae*)
Brachyspira innocens
Brachyspira pilosicoli
Burkholderia cepacia
Campylobacter coli
Campylobacter fetus
Campylobacter jejuni
Capnocytophaga canimorsus
Capnocytophaga cynodegmi
Capnocytophaga gingivalis

Bartonella alsatica
Bartonella bacilliformis
Bartonella birtlesii
Bartonella bovis
Bartonella capreoli
Bartonella clarridgeiae
Bartonella doshae
Bartonella elizabethae
Bartonella grahamii
Bartonella henselae
Bartonella koehlerae
Bartonella quintana
Bartonella schoenbuchensis
Bartonella taylorii
Bartonella tribocorum
Bartonella vinsonii
Bibersteinia trehalosi (旧分類名 *Pasteurella trehalosi*)
Bordetella avium
Bordetella bronchiseptica
Bordetella holmesii
Bordetella parapertussis
Bordetella pertussis
*Borrelia*属全種
Brachyspira hyodysenteriae (別名 *Serpulina hyodysenteriae*)
Brachyspira innocens
Brachyspira pilosicoli
Burkholderia cepacia
Campylobacter coli
Campylobacter fetus
Campylobacter jejuni
Capnocytophaga canimorsus
Capnocytophaga cynodegmi
Capnocytophaga gingivalis

Capnocytophaga granulosa
Capnocytophaga haemolytica
Capnocytophaga leadbetteri
Capnocytophaga ochracea
Capnocytophaga sputigena
Cardiobacterium hominis
Chlamydia muridarum
Chlamydia suis
Chlamydia trachomatis
Chlamydophila abortus
Chlamydophila caviae
Chlamydophila felis
Chlamydophila pecorum
Chlamydophila pneumoniae
Chlamydophila psittaci
Chromobacterium violaceum
Citrobacter freundii
Citrobacter rodentium
Clostridioides difficile
Clostridium argentinense
Clostridium botulinum
Clostridium butyricum (ボツリヌス
毒素産生株に限る。)
Clostridium chauvoei
Clostridium colinum
Clostridium haemolyticum
Clostridium histolyticum
Clostridium novyi
Clostridium perfringens
Clostridium pilliforme
Clostridium septicum
Clostridium sporogenes
Clostridium tetani
Corynebacterium diphtheriae

Capnocytophaga granulosa
Capnocytophaga haemolytica
Capnocytophaga leadbetteri
Capnocytophaga ochracea
Capnocytophaga sputigena
Cardiobacterium hominis
Chlamydia muridarum
Chlamydia suis
Chlamydia trachomatis
Chlamydophila abortus
Chlamydophila caviae
Chlamydophila felis
Chlamydophila pecorum
Chlamydophila pneumoniae
Chlamydophila psittaci
Chromobacterium violaceum
Citrobacter freundii
Citrobacter rodentium
Clostridioides difficile (旧分類
名*Clostridium difficile*)
Clostridium argentinense
Clostridium botulinum
Clostridium butyricum (ボツリヌス
毒素産生株に限る。)
Clostridium chauvoei
Clostridium colinum
Clostridium haemolyticum
Clostridium histolyticum
Clostridium novyi
Clostridium perfringens
Clostridium pilliforme
Clostridium septicum
Clostridium sporogenes
Clostridium tetani
Corynebacterium diphtheriae

Corynebacterium jeikeium
Corynebacterium kutscheri
Corynebacterium pseudodiphtheri-
riticum
Corynebacterium pseudotubercu-
losis
Corynebacterium renale
Corynebacterium ulcerans
Ehrlichia canis
Ehrlichia chaffeensis
Ehrlichia ewingii
Ehrlichia muris
Elizabethkingia meningoseptica

Enterobacter asburiae

Enterobacter cloacae

Enterococcus cecorum

Enterococcus faecalis (バンコマイ
イシソ耐性株に限る。)

Enterococcus faecium (バンコマイ
シソ耐性株に限る。)

Erysipelothrix rhusiopathiae

Erysipelothrix tonsillarum

Escherichia albertii

Escherichia coli (腸管、尿路等に
おける病原性を有する株に限る。)

Facklamia sourekkii

Filobacterium rodentium

Fluoribacter bozemanæ

Fluoribacter dumoffii

Fluoribacter gormanii

Francisella hispaniensis

Francisella philomiragia

Francisella tularensis subsp.

Corynebacterium jeikeium
Corynebacterium kutscheri
Corynebacterium pseudodiphtheri-
riticum
Corynebacterium pseudotubercu-
losis
Corynebacterium renale
Corynebacterium ulcerans
Ehrlichia canis
Ehrlichia chaffeensis
Ehrlichia ewingii
Ehrlichia muris
Elizabethkingia meningoseptica
(旧分類名 *Chryseobacterium me-*
ningosepticum)

Enterobacter asburiae

Enterobacter cloacae

Enterococcus faecalis (バンコマイ
イシソ耐性株に限る。)

Enterococcus faecium (バンコマイ
シソ耐性株に限る。)

Erysipelothrix rhusiopathiae

Erysipelothrix tonsillarum

Escherichia albertii

Escherichia coli (腸管、尿路等に
おける病原性を有する株に限る。)

Facklamia sourekkii

Filobacterium rodentium

Fluoribacter bozemanæ

Fluoribacter dumoffii

Fluoribacter gormanii

Francisella hispaniensis

Francisella philomiragia

Francisella tularensis subsp.

holarctica (LVS株に限る。))
Francisella tularensis subsp.
novicida
Francisella tularensis subsp.
tularensis (B38株に限る。))
Fusobacterium necrophorum
Fusobacterium nucleatum
Haemophilus aegyptius
Haemophilus ducreyi
Haemophilus haemolyticus
Haemophilus influenzae
Haemophilus parainfluenzae
Haemophilus parasuis
Helicobacter bilis
Helicobacter bizzozeronii
Helicobacter canadensis
Helicobacter canis
Helicobacter cinaedi
Helicobacter felis
Helicobacter fennelliae
Helicobacter heilmannii
Helicobacter hepaticus
Helicobacter pullorum
Helicobacter pylori
Helicobacter salomonis
Helicobacter suis
Histophilus somni
Klebsiella aerogenes
Klebsiella granulomatis
Klebsiella oxytoca
Klebsiella pneumoniae
Lawsonia intracellularis
Leclercia adecarboxylata

holarctica (LVS株に限る。))
Francisella tularensis subsp.
novicida (旧分類名*Francisella*
novicida)
Francisella tularensis subsp.
tularensis (B38株に限る。))
Fusobacterium necrophorum
Fusobacterium nucleatum
Haemophilus aegyptius
Haemophilus ducreyi
Haemophilus haemolyticus
Haemophilus influenzae
Haemophilus parainfluenzae
Haemophilus parasuis
Helicobacter bilis
Helicobacter bizzozeronii
Helicobacter canadensis
Helicobacter canis
Helicobacter cinaedi
Helicobacter felis
Helicobacter fennelliae
Helicobacter heilmannii
Helicobacter hepaticus
Helicobacter pullorum
Helicobacter pylori
Helicobacter salomonis
Helicobacter suis
Histophilus somni (旧分類名*Hae-*
mophilus somnus)
Klebsiella aerogenes
Klebsiella granulomatis
Klebsiella oxytoca
Klebsiella pneumoniae
Lawsonia intracellularis
Leclercia adecarboxylata

Legionella 属全種

Leptospira interrogans
Listeria ivanovii
Listeria monocytogenes
Mannheimia haemolytica

Moraxella bovis
Moraxella catarrhalis
Moraxella ovis
Moraxella saccharolytica
Mycobacterium abscessus
Mycobacterium asiaticum
Mycobacterium avium
Mycobacterium branderi
Mycobacterium celatum
Mycobacterium chelonae
Mycobacterium flavescens
Mycobacterium fortuitum
Mycobacterium gadium
Mycobacterium gastrii
Mycobacterium genavense
Mycobacterium goodnae
Mycobacterium haemophilum
Mycobacterium intracellulare
Mycobacterium kansasii
Mycobacterium leprae
Mycobacterium lepraemurium
Mycobacterium lepromatosis
Mycobacterium malmoense
Mycobacterium marinum
Mycobacterium mucogenicum
Mycobacterium neoaurum
Mycobacterium nonchromogenicum
Mycobacterium rhodesiae
Mycobacterium scrofulaceum

Legionella 属全種

Leptospira interrogans
Listeria ivanovii
Listeria monocytogenes
Mannheimia haemolytica (旧分類名)
Pasteurella haemolytica

Moraxella bovis
Moraxella catarrhalis
Moraxella ovis
Moraxella saccharolytica
Mycobacterium abscessus
Mycobacterium asiaticum
Mycobacterium avium
Mycobacterium branderi
Mycobacterium celatum
Mycobacterium chelonae
Mycobacterium flavescens
Mycobacterium fortuitum
Mycobacterium gadium
Mycobacterium gastrii
Mycobacterium genavense
Mycobacterium goodnae
Mycobacterium haemophilum
Mycobacterium intracellulare
Mycobacterium kansasii
Mycobacterium leprae
Mycobacterium lepraemurium
Mycobacterium malmoense
Mycobacterium marinum
Mycobacterium mucogenicum
Mycobacterium neoaurum
Mycobacterium nonchromogenicum
Mycobacterium rhodesiae
Mycobacterium scrofulaceum

Mycobacterium senegalense
Mycobacterium shimoidi
Mycobacterium simiae
Mycobacterium sphagni
Mycobacterium szulgai
Mycobacterium thermoresistibile
Mycobacterium tuberculosis
var. *capare*
Mycobacterium tuberculosis
var. *microti*
Mycobacterium ulcerans
Mycobacterium vaccae
Mycobacterium xenopi
Mycoplasma 属全種 (*Mycoplasma mycoides* subsp. *mycoides* を除き、*Mycoplasma mycoides* subsp. *mycoides* (V株) を含む。)
Neisseria gonorrhoeae
Neisseria meningitidis
Neorickettsia risticii
Neorickettsia sennetsu
Nocardia abscessus
Nocardia aobensis
Nocardia arthritidis
Nocardia asteroides
Nocardia beijingensis
Nocardia brasiliensis
Nocardia concava
Nocardia cyriacigeorgica
Nocardia elegans
Nocardia farcinica
Nocardia nigatensis

Mycobacterium senegalense
Mycobacterium shimoidi
Mycobacterium simiae
Mycobacterium sphagni
Mycobacterium szulgai
Mycobacterium thermoresistibile
Mycobacterium tuberculosis
var. *capare* (旧名称 *Mycobacterium caprae*)
Mycobacterium tuberculosis
var. *microti* (旧名称 *Mycobacterium microti*)
Mycobacterium ulcerans
Mycobacterium vaccae
Mycobacterium xenopi
Mycoplasma 属全種 (*Mycoplasma mycoides* subsp. *mycoides* を除き、*Mycoplasma mycoides* subsp. *mycoides* (V株) を含む。)
Neisseria gonorrhoeae
Neisseria meningitidis
Neorickettsia risticii
Neorickettsia sennetsu
Nocardia abscessus
Nocardia aobensis
Nocardia arthritidis
Nocardia asteroides
Nocardia beijingensis
Nocardia brasiliensis
Nocardia concava
Nocardia cyriacigeorgica
Nocardia elegans
Nocardia farcinica
Nocardia nigatensis

Nocardia nova
Nocardia otitidiscaviarum
Nocardia paucivorans
Nocardia puris
Nocardia vinacea
Ochrobactrum anthropi
Paeniclostridium sordehlii

Pasteurella multocida (出血性敗血症又は家きんコレラ由来ではない株に限る。)

Photobacterium damsela
Plesiomonas shigelloides
Porphyromonas gingivalis
Prevotella intermedia
Proteus mirabilis
Proteus penneri
Proteus vulgaris
Providencia rettgeri

Pseudomonas aeruginosa
Ralstonia mannitolilytica
Rhodococcus hoagii

Riemerella anatipestifer
Rodentibacter pneumotropicus

Rothia dentocariosa
*Salmonella*属全種 (*S. enterica* subsp. *enterica* serovar TyphimuriumのTA98株、TA100株及びTA1535株並びに*S. subterranea*を除く。)

Nocardia nova
Nocardia otitidiscaviarum
Nocardia paucivorans
Nocardia puris
Nocardia vinacea
Ochrobactrum anthropi
Paeniclostridium sordehlii (旧分類名*Clostridium sordehlii*)

Pasteurella multocida (出血性敗血症又は家きんコレラ由来ではない株に限る。)

Photobacterium damsela
Plesiomonas shigelloides
Porphyromonas gingivalis
Prevotella intermedia
Proteus mirabilis
Proteus penneri
Proteus vulgaris
Providencia rettgeri
Pseudomonas aeruginosa

Rhodococcus hoagii (旧分類名*Rhodococcus equi*)

Riemerella anatipestifer
Rodentibacter pneumotropicus
(旧分類名*Pasteurella pneumotropicalis*)

Rothia dentocariosa
*Salmonella*属全種 (*S. enterica* subsp. *enterica* serovar Paratyphi A、*S. enterica* subsp. *enterica* serovar Typhi、*S. enterica* subsp. *enterica* serovar TyphimuriumのTA98株、TA100株及びTA1535株並びに*S. subterranea*を除く。)

Serratia liquefaciens
Serratia marcescens
Serratia rubidaea
Shigella 属全種
Simkania negevensis
Staphylococcus aureus
Staphylococcus hyicus
Streptobacillus moniliformis
Streptococcus acidominimus
Streptococcus agalactiae
Streptococcus anginosus
Streptococcus canis
Streptococcus constellatus
subsp. *constellatus*
Streptococcus constellatus
subsp. *pharyngis*
Streptococcus dysgalactiae
Streptococcus equi
Streptococcus intermedius
Streptococcus parasanguinis
Streptococcus pneumoniae
Streptococcus porcinus
Streptococcus pyogenes
Streptococcus ruminantium
Streptococcus sanguinis
Streptococcus sinensis
Streptococcus suis
Streptococcus uberis
Tannerella forsythia
Tatlockia micdadei
Taylorella equigenitalis
Treponema carateum
Treponema denticola
Treponema pallidum

↳)
Serratia liquefaciens
Serratia marcescens
Serratia rubidaea
Shigella 属全種
Simkania negevensis
Staphylococcus aureus
Staphylococcus hyicus
Streptobacillus moniliformis
Streptococcus acidominimus
Streptococcus agalactiae
Streptococcus anginosus
Streptococcus canis
Streptococcus constellatus
subsp. *constellatus*
Streptococcus constellatus
subsp. *pharyngis*
Streptococcus dysgalactiae
Streptococcus equi
Streptococcus intermedius
Streptococcus parasanguinis
Streptococcus pneumoniae
Streptococcus porcinus
Streptococcus pyogenes
Streptococcus ruminantium
Streptococcus sanguinis
Streptococcus sinensis
Streptococcus suis
Streptococcus uberis
Tannerella forsythia
Tatlockia micdadei
Taylorella equigenitalis
Treponema carateum
Treponema denticola
Treponema pallidum

<p><i>Treponema paraluisccuniculi</i> <i>Treponema pertense</i> <i>Tropheryma whippelii</i> <u><i>Trueperella bernardiae</i></u> <u><i>Trueperella pyogenes</i></u> <i>Ureaplasma urealyticum</i> <i>Vibrio cholerae</i> <i>Vibrio fluvialis</i> <i>Vibrio mimicus</i> <i>Vibrio parahaemolyticus</i> <i>Vibrio vulnificus</i> <i>Yersinia enterocolitica</i> <i>Yersinia frederiksenii</i> <i>Yersinia intermedia</i> <i>Yersinia pseudotuberculosis</i></p>	<p><i>Treponema paraluisccuniculi</i> <i>Treponema pertense</i> <i>Tropheryma whippelii</i> <u><i>Trueperella bernardiae</i></u> (旧分類名) <u><i>Trueperella pyogenes</i></u> (旧分類名) <u><i>Arcanobacterium bernardiae</i></u> <u><i>Trueperella pyogenes</i></u> (旧分類名) <u><i>Arcanobacterium pyogenes</i></u> <i>Ureaplasma urealyticum</i> <i>Vibrio cholerae</i> <i>Vibrio fluvialis</i> <i>Vibrio mimicus</i> <i>Vibrio parahaemolyticus</i> <i>Vibrio vulnificus</i> <i>Yersinia enterocolitica</i> <i>Yersinia frederiksenii</i> <i>Yersinia intermedia</i> <i>Yersinia pseudotuberculosis</i></p>
<p>(2) 真菌のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [略]</p>	<p>(2) 真菌のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [同上]</p>
<p>(3) 原虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [略]</p>	<p>(3) 原虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [同上]</p>
<p>(4) 寄生虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [略]</p>	<p>(4) 寄生虫のうち、次に掲げるもの（科学的知見により哺乳動物等に対する病原性がないとされているものを除く。） [同上]</p>
<p>(5) 真核生物を自然宿主とするウイルスのうち、イ及びロに掲げるもの イ 次に掲げるもの（承認生ワクチン株を除く。） Abatino macacacapox virus</p>	<p>(5) 真核生物を自然宿主とするウイルスのうち、イ及びロに掲げるもの イ 次に掲げるもの（承認生ワクチン株を除く。）</p>

Adenovirus
 Agnucate virus
 Aichivirus A
 Aichivirus B
 Akmeta virus
 Alcelaphine herpesvirus 1
 Alenquer virus
 Alethinophid 1 reptarenavirus
 Alethinophid 2 reptarenavirus
 Alethinophid 3 reptarenavirus
 American dog tick phlebovirus
 Apoi virus
 Arbia virus
 Armero virus
 Aroa virus
 Aruac arrurhavirus
 Arumowot virus
 Asama virus
 Atypical porcine pestivirus
Avastrovirus
 Avian encephalomyelitis virus
 Avian hepatitis E virus
 Avian metapneumovirus (別名Turkey rhinotrachitis virus)
 Avian paramyxovirus
 Avian orthoreovirus
 Avian retrovirus
 Avihepatovirus
 Avipoxvirus
 Bagaza virus
 Banzi virus
 Bat deltavirus
 Bat mumps virus

Adenovirus
 Agnucate virus
 Aichivirus A
 Aichivirus B
 Alcelaphine herpesvirus 1
 Alenquer virus
 Alethinophid 1 reptarenavirus
 Alethinophid 2 reptarenavirus
 Alethinophid 3 reptarenavirus
 American dog tick phlebovirus
 Apoi virus
 Arbia virus
 Armero virus
 Aroa virus
 Arumowot virus
 Asama virus
Avastrovirus (旧分類名Aviastrovirus)
 Avian encephalomyelitis virus
 Avian hepatitis E virus
 Avian metapneumovirus (別名Turkey rhinotrachitis virus)
 Avian paramyxovirus
 Avian orthoreovirus
 Avian retrovirus
 Avihepatovirus
 Avipoxvirus
 Bat mumps virus

<p>Bebaru virus</p> <p>Beiji nairovirus</p> <p>Blacklegged tick phlebovirus</p> <p>1</p> <p>Bole Tick Virus 1</p> <p>Border disease virus</p> <p>Borealpox virus</p> <p>Borna disease virus</p> <p>Bourbon virus</p> <p>Bovine astrovirus</p> <p>Bovine ephemeral fever virus</p> <p>Bovine herpesvirus</p> <p>Bovine papular stomatitis virus</p> <p>Bovine parechovirus</p> <p>Bovine respiratory syncytial virus</p> <p>Bovine rhinitis A virus</p> <p>Bovine rhinitis B virus</p> <p>Bovine viral diarrhea virus</p> <p>Burana virus</p> <p>Camelpox virus</p> <p>Candiru virus</p> <p>Canine circovirus</p> <p>Canine distemper virus</p> <p>Canine herpesvirus</p> <p>Cardiovirus (Encephalomyocarditis virus及^UTheiler's murine encephalomyelitis virusを含む。</p> <p>)</p> <p>Caviid herpesvirus 1</p> <p>Cedar virus</p> <p>Cetacean morbillivirus</p> <p>Chagres virus</p>	<p>Bebaru virus</p> <p>Blacklegged tick phlebovirus</p> <p>1</p> <p>Bole Tick Virus 1</p> <p>Border disease virus</p> <p>Borna disease virus</p> <p>Bovine astrovirus</p> <p>Bovine ephemeral fever virus</p> <p>Bovine herpesvirus</p> <p>Bovine papular stomatitis virus</p> <p>Bovine parechovirus</p> <p>Bovine respiratory syncytial virus</p> <p>Bovine rhinitis A virus</p> <p>Bovine rhinitis B virus</p> <p>Bovine viral diarrhea virus</p> <p>Burana virus</p> <p>Camelpox virus</p> <p>Candiru virus</p> <p>Canine circovirus</p> <p>Canine distemper virus</p> <p>Canine herpesvirus</p> <p>Cardiovirus (Encephalomyocarditis virus及^UTheiler's murine encephalomyelitis virusを含む。</p> <p>)</p> <p>Caviid herpesvirus 1</p> <p>Cedar virus</p> <p>Cetacean morbillivirus</p> <p>Chagres virus</p>
---	---

<p>Bebaru virus</p> <p>Blacklegged tick phlebovirus</p> <p>1</p> <p>Bole Tick Virus 1</p> <p>Border disease virus</p> <p>Borna disease virus</p> <p>Bovine astrovirus</p> <p>Bovine ephemeral fever virus</p> <p>Bovine herpesvirus</p> <p>Bovine papular stomatitis virus</p> <p>Bovine respiratory syncytial virus</p> <p>Bovine rhinitis A virus</p> <p>Bovine rhinitis B virus</p> <p>Bovine viral diarrhea virus</p> <p>Candiru virus</p> <p>Canine distemper virus</p> <p>Canine herpesvirus</p> <p>Cardiovirus (Encephalomyocarditis virus及^UTheiler's murine encephalomyelitis virusを含む。</p> <p>) (旧分類名Theilovirus)</p> <p>Caviid herpesvirus 1</p> <p>Cetacean morbillivirus</p> <p>Chagres virus</p>	<p>Bebaru virus</p> <p>Blacklegged tick phlebovirus</p> <p>1</p> <p>Bole Tick Virus 1</p> <p>Border disease virus</p> <p>Borna disease virus</p> <p>Bovine astrovirus</p> <p>Bovine ephemeral fever virus</p> <p>Bovine herpesvirus</p> <p>Bovine papular stomatitis virus</p> <p>Bovine respiratory syncytial virus</p> <p>Bovine rhinitis A virus</p> <p>Bovine rhinitis B virus</p> <p>Bovine viral diarrhea virus</p> <p>Candiru virus</p> <p>Canine distemper virus</p> <p>Canine herpesvirus</p> <p>Cardiovirus (Encephalomyocarditis virus及^UTheiler's murine encephalomyelitis virusを含む。</p> <p>) (旧分類名Theilovirus)</p> <p>Caviid herpesvirus 1</p> <p>Cetacean morbillivirus</p> <p>Chagres virus</p>
--	--

Chandipura vesiculovirus	
Chicken anemia virus	
Chize virus	
Coastal Plains tibrivirus	
Coronavirus (MERS coronavirus及 SARS-related coronavirusを除く 。)	
Cosavirus A	
Cowpox virus	
Cytomegalovirus	
Dabieshan Tick Virus	
Daeryong virus	
Dengue virus	
Dhori virus	
Domestic cat hepadnavirus	
Duck hepatitis virus	
Duck hepatitis B virus	
Duck herpesvirus 1 (別名Duck plague virus、Duck enteritis virus)	
Dugbe virus	
Durania virus	
Ectromelia virus	
Enterovirus A	
Enterovirus B	
Enterovirus C (Poliovirus 1, 2, 3を含む。)	
Enterovirus D	
Enterovirus E	
Enterovirus F	

Chandipura vesiculovirus	
Chicken anemia virus	
Chize virus	
Coronavirus (MERS coronavirus, SARS coronavirus及SARS coro- navirus 2を除く。)	
Cosavirus A	
Cowpox virus	
Cytomegalovirus	
Dabieshan Tick Virus	
Dengue virus	
Dhori virus	
Duck hepatitis virus	
Duck hepatitis B virus	
Duck herpesvirus 1 (別名Duck plague virus、Duck enteritis virus)	
Dugbe virus	
Durania virus	
Ectromelia virus	
Enterovirus A (旧分類名Human en- terovirus A)	
Enterovirus B (旧分類名Human en- terovirus B)	
Enterovirus C (Poliovirus 1, 2, 3を含む。)(旧分類名Human enter- ovirus C)	
Enterovirus D (旧分類名Human en- terovirus D)	
Enterovirus E	
Enterovirus F	

Enterovirus G
Enterovirus H
 Epstein-Barr (略称EB) virus
 Equine arteritis virus
 Equine herpesvirus
 Equine rhinitis A virus
 Erbovirus A
 Feline herpesvirus
 Feline morbillivirus
 FinV707 virus
 Forecariah virus
 Fukuoka virus
 Gabek Forest virus
 Gamak virus
 GB virus B
 Getah virus
 Ghana virus
 Goatpox virus
 Gordil virus
 Gossas virus
 Grand Arbaud virus
 Gray Lodge hapavirus
 Hazara virus
 Hepatitis A virus
 Hepatitis B virus
 Hepatitis C virus
 Hepatitis D virus
 Hepatitis E virus
 Hepatitis G virus
 Herpes simplex virus 1, 2
 Hokkaido virus
 Horsepox virus

Enterovirus G (旧分類名Porcine enterovirus B)
Enterovirus H (旧分類名Simian enterovirus A)
 Epstein-Barr (略称EB) virus
 Equine arteritis virus
 Equine herpesvirus
 Equine rhinitis A virus
 Erbovirus A
 Feline herpesvirus
 Feline morbillivirus
 FinV707 virus
 Forecariah virus
 Fukuoka virus
 Gabek Forest virus
 GB virus B
 Getah virus
 Ghana virus
 Goatpox virus
 Gordil virus
 Gossas virus
 Grand Arbaud virus
 Hazara virus
 Hepatitis A virus
 Hepatitis B virus
 Hepatitis C virus
 Hepatitis D virus
 Hepatitis E virus
 Hepatitis G virus
 Herpes simplex virus 1, 2
 Horsepox virus

Huangpi Tick Virus 1, 2

Human astrovirus
Human herpesvirus 6, 7, 8
Human immunodeficiency virus (略称HIV) 1 (増殖力等欠損株 (自立的な増殖力及び感染力を保持せず、かつ、哺乳動物等に対する病原性がない株であつて、使用等を通じて自立的な増殖力及び感染力又は病原性を獲得することがないものをいう。以下同じ。)に限る。)

Human metapneumovirus
Human respiratory syncytial virus
Ilheus virus
Infectious bursal disease virus
Infectious laryngotracheitis virus

Influenza virus (高病原性株 (Highly pathogenic avian influenza virusを含む。)を除く。)

Isfahan vesiculovirus

Issyk-Kul virus
Itaituba virus
Ixcantal virus
Japanese encephalitis virus
Jingmen tick virus group virus
Junin virus (Candid#1株に限る。)

Jurona vesiculovirus
Kabuto Mountain virus
Karimabad virus
Karshi virus

Huangpi Tick Virus 2

Human astrovirus
Human herpesvirus 6, 7, 8
Human immunodeficiency virus (略称HIV) 1 (増殖力等欠損株 (自立的な増殖力及び感染力を保持せず、かつ、哺乳動物等に対する病原性がない株であつて、使用等を通じて自立的な増殖力及び感染力又は病原性を獲得することがないものをいう。以下同じ。)に限る。)

Human metapneumovirus
Human respiratory syncytial virus
Ilheus virus
Infectious bursal disease virus
Infectious laryngotracheitis virus

Influenza virus (高病原性株 (Highly pathogenic avian influenza virusを含む。)を除く。)

Issyk-Kul virus
Itaituba virus
Ixcantal virus
Japanese encephalitis virus
Jingmen tick virus group virus
Junin virus (Candid#1株に限る。)

Kabuto Mountain virus
Karimabad virus

<p>Kasokero orthonaironavirus Kedougou virus Keterah virus Khabarovsk virus Khasan virus Kismayo virus Kokobera virus</p>	<p>Kasokero orthonaironavirus Kedougou virus Keterah virus Khabarovsk virus Khasan virus Kismayo virus Kokobera virus</p>
<p>Komandory virus Kunjjin virus Kuriyama virus Lactate dehydrogenase-elevating virus Lagovirus</p>	<p>Komandory virus Kunjjin virus Kuriyama virus Lactate dehydrogenase-elevating virus Lagovirus</p>
<p>Langat virus Langya henipavirus Latino virus LCM (Lymphocytic choriomeningitis) virus Le Dantec ledantevirus</p>	<p>Langat virus Langya henipavirus Latino virus LCM (Lymphocytic choriomeningitis) virus Le Dantec ledantevirus</p>
<p>Lihan Tick Virus Lone Star virus Mammalian retrovirus (Human immunodeficiency virus (略称HIV) 1, 2を除く。)</p>	<p>Lihan Tick Virus Lone Star virus Mammalian retrovirus (Human immunodeficiency virus (略称HIV) 1, 2を除く。)</p>
<p>Manawa virus Manitoba hapavirus Marco hapavirus Marek's disease virus Marmota monax deltavirus Measles virus Megriivirus</p>	<p>Manawa virus Manitoba hapavirus Marco hapavirus Marek's disease virus Marmota monax deltavirus Measles virus Megriivirus</p>
<p>Meleagrid herpesvirus 2 (別名 Turkey herpesvirus) Midway virus</p>	<p>Meleagrid herpesvirus 2 (別名 Turkey herpesvirus) Midway virus</p>

<p>Kasokero orthonaironavirus Keterah virus Khabarovsk virus Khasan virus Kismayo virus</p>	<p>Kasokero orthonaironavirus Keterah virus Khabarovsk virus Khasan virus Kismayo virus</p>
<p>Komandory virus Kunjjin virus Kuriyama virus Lactate dehydrogenase-elevating virus Lagovirus</p>	<p>Komandory virus Kunjjin virus Kuriyama virus Lactate dehydrogenase-elevating virus Lagovirus</p>
<p>Langat virus Latino virus LCM (Lymphocytic choriomeningitis) virus</p>	<p>Langat virus Latino virus LCM (Lymphocytic choriomeningitis) virus</p>
<p>Lihan Tick Virus Lone Star virus Mammalian retrovirus (Human immunodeficiency virus (略称HIV) 1, 2を除く。)</p>	<p>Lihan Tick Virus Lone Star virus Mammalian retrovirus (Human immunodeficiency virus (略称HIV) 1, 2を除く。)</p>
<p>Manawa virus Marek's disease virus Measles virus Megriivirus</p>	<p>Manawa virus Marek's disease virus Measles virus Megriivirus</p>
<p>Meleagrid herpesvirus 2 (別名 Turkey herpesvirus)</p>	<p>Meleagrid herpesvirus 2 (別名 Turkey herpesvirus)</p>

Mobala virus
Modoc virus
Mojiang virus
Molluscum contagiosum virus

Mopeia virus
Mukawa virus
Mumps virus
Munguba virus
Murid herpesvirus
Murine pneumonia virus (別名
Pneumo virus of mice (略称PVM)
)
Murre virus
Myxoma virus
Nairobi sheep disease virus
Naples virus
Nelson Bay orthoreovirus

Nique virus
Nishimuro ledantevirus
Norovirus
Norway rat pestivirus
Nymanini virus
Odocoileus virginianus del-
tavirus

Odrenisrou virus
Oita virus
O'Nyong-Nyong virus
Orbivirus (African horse sick-
ness virus を除き、Muko virusを
含む。)
Orf virus
Oriximina virus
Orthobunyavirus (Jamestown

Mobala virus
Modoc virus
Mojiang virus
Molluscum contagiosum virus
Monkeypox virus

Mopeia virus
Mukawa virus
Mumps virus
Munguba virus
Murid herpesvirus
Murine pneumonia virus (別名
Pneumo virus of mice (略称PVM)
)
Murre virus
Myxoma virus
Nairobi sheep disease virus
Naples virus
Nelson Bay orthoreovirus

Nique virus
Norovirus
Nymanini virus

Odrenisrou virus
Oita virus
O'Nyong-Nyong virus
Orbivirus (African horse sick-
ness virus を除き、Muko virusを
含む。)
Orf virus
Oriximina virus
Orthobunyavirus (Jamestown

Canyon virusを含む。))
 Ovine herpesvirus 1 (別名Ovine
 pulmonary adenomatosis associ-
 ated herpesvirus)
 Ovine herpesvirus 2
 Oz virus
 Palma virus
 Papiine alphaherpesvirus 2
 Papillomavirus
 Parainfluenza virus (Bovine
respirovirus、Human respiro-
virus及U[†]Murine respirovirus (別名Sendai virus)を含む。)
Parechovirus A
Parechovirus B
 Parvovirus (Adeno-associated
 virusを除く。)
 Perinet vesiculovirus
 Phocine morbillivirus
 Pichinde virus
 Pigeon circovirus
 Poikilothermal vertebrate ret-
 rovirus
 Polyomavirus
 Porcine astrovirus
 Porcine circovirus
 Porcine morbillivirus
 Porcine reproductive and res-
 piratory syndrome virus
 Porcine teschovirus
 Precarious point virus
 Pronghorn antelope

Canyon virusを含む。))
 Ovine herpesvirus 1 (別名Ovine
 pulmonary adenomatosis associ-
 ated herpesvirus)
 Ovine herpesvirus 2
 Oz virus
 Palma virus
 Papiine alphaherpesvirus 2
 Papillomavirus
Parainfluenza virus
Parechovirus A (旧分類名Human
parechovirus)
Parechovirus B (旧分類名Ljungan
virus)
 Parvovirus (Adeno-associated
 virusを除く。)
 Phocine morbillivirus
 Pichinde virus
 Poikilothermal vertebrate ret-
 rovirus
 Polyomavirus
 Porcine astrovirus
 Porcine circovirus
 Porcine reproductive and res-
 piratory syndrome virus
 Porcine teschovirus
 Precarious point virus

pestivirus	
Prospect Hill virus	
Pseudocowpox virus	
Psttaccine circovirus	
Rabies lyssavirus (固定株及び弱毒 化株に限る。)	
Raccoonpox virus	
Radi vesiculovirus	
Razdan virus	
Recovirus A	
Rhinovirus A	
Rhinovirus B	
Rhinovirus C	
Rio Bravo virus	
RML-105355 virus	
Rodent hepaciavirus	
Ross river virus	
Rotavirus	
Rubella virus	
Ruhugu virus	
Rukutama virus	
Rustrela virus	
Saimirine gammaherpesvirus 2	
Saint Floris virus	
Salanga virus	
Salehabad virus	
Sandfly fever Naples phlebo- virus	
Sandfly fever Sicilian virus	
San Jacinto virus	

Prospect Hill virus	
Pseudocowpox virus	
Psttaccine circovirus	
Rabies lyssavirus (旧分類名Ra- bies virus) (固定株及び弱毒化株に 限る。)	
Razdan virus	
Rhinovirus A (旧分類名Human rhi- novirus A)	
Rhinovirus B (旧分類名Human rhi- novirus B)	
Rhinovirus C (旧分類名Human rhi- novirus C)	
Rio Bravo virus	
RML-105355 virus	
Rodent hepaciavirus	
Ross river virus	
Rotavirus	
Rubella virus	
Rukutama virus	
Saimirine gammaherpesvirus 2	
Saint Floris virus	
Salanga virus	
Salehabad virus	
Sandfly fever Naples phlebo- virus	
Sandfly fever Sicilian virus	

Sabelovirus A

Sapovirus
Semliki Forest virus (増殖力等欠損株に限る。)
Serra Norte virus
Sheepox virus
Shope fibroma virus
Silverwater virus
Simian virus 5
Simian hemorrhagic fever virus

Simian herpesvirus (Cercopithecine herpesvirus 1 (別名B-virus) 及[○]Herpes ateles virusを除く。)

Sindbis virus
Skunkpox virus

Soft tick bunyavirus
Suid herpesvirus 1 (別名Pseudorabies virus、Aujeszky's disease virus)
Suid herpesvirus 2 (別名Pig cytomegalovirus)
Swinepox virus
Swine vesicular disease virus
Tacaribe virus
Tacheng Tick virus 1, 2

Taeniopygia guttata delta-virus
Taenopygia guttata hepatitis D virus
Tandy orthonairovirus
Tanapox virus

Sabelovirus A (旧分類名Porcine sabelovirus)

Sapovirus
Semliki Forest virus (増殖力等欠損株に限る。)
Serra Norte virus
Sheepox virus
Shope fibroma virus
Silverwater virus
Simian virus 5

Simian herpesvirus (Cercopithecine herpesvirus 1 (別名B-virus) 及[○]Herpes ateles virusを除く。)

Sindbis virus

Soft tick bunyavirus
Suid herpesvirus 1 (別名Pseudorabies virus、Aujeszky's disease virus)
Suid herpesvirus 2 (別名Pig cytomegalovirus)
Swinepox virus
Swine vesicular disease virus
Tacaribe virus
Tacheng Tick virus 2

Tanapox virus

Tarumizu tick virus
Taterapox virus

Tehran virus
Thogoto virus

Thottapalayam virus
Tibrorganan virus
Tofla virus
Tome's spiny-rat virus 1

Torovirus
Torque teno (略称TT) virus

Tremovirus
Tula virus

Usutu virus
Ukuniemi virus

Varicella-zoster virus
Vesicular stomatitis Alagoas
virus

Vesicular stomatitis Indiana
virus

Vesicular stomatitis New Jersey virus

Vesivirus
Volepox virus

Wenzhou Tick Virus
White Water Arroyo virus

Woodchuck hepatitis D virus
Woodchuck hepatitis virus

Yaba monkey tumor virus
Yezo virus

Yokose virus
Yongjia Tick virus 1

Zaliv Terpenia virus
Zika virus

□ 次に掲げるもの

Tarumizu tick virus

Tehran virus

Thogoto virus
Thottapalayam virus

Tofla virus

Torovirus
Torque teno (略称TT) virus

Tremovirus
Tula virus

Usutu virus
Ukuniemi virus

Varicella-zoster virus
Vesicular stomatitis Alagoas
virus

Vesicular stomatitis Indiana
virus

Vesicular stomatitis New Jersey virus

Vesivirus

White Water Arroyo virus

Woodchuck hepatitis virus
Yaba monkey tumor virus

Yokose virus
Yongjia Tick virus 1

Zaliv Terpenia virus
Zika virus

□ 次に掲げるもの

<p>Rinderpest virus (生ワクチン株に限る。) Vaccinia virus (DIS株及びLC16m8株を除く。)</p>	<p>Rinderpest virus (生ワクチン株に限る。) Vaccinia virus (DIS株及びLC16m8株を除く。)</p>
<p>省令第三条の第三号の文部科学大臣が定める微生物等</p> <p>(1) 原核生物のうち、次に掲げるもの(科学的知見により哺乳動物等に対する病原性がないとされているものを除く。) <u>Bacillus anthracis</u> (34F2株及びDavis株を除く。) <u>Bruceella</u>属全種 <u>Burkholderia mallei</u> <u>Burkholderia pseudomallei</u> <u>Coxiella burnetii</u> <u>Francisella tularensis</u> subsp. <u>holarctica</u> (LVS株を除く。) <u>Francisella tularensis</u> subsp. <u>mediasiatica</u> <u>Francisella tularensis</u> subsp. <u>tularensis</u> (B38株を除く。) <u>Morococcus cerebrosus</u> <u>Mycobacterium tuberculosis</u> var. <u>africanum</u> <u>Mycobacterium tuberculosis</u> var. <u>bovis</u> (BCG株を除く。) <u>Mycobacterium tuberculosis</u> var. <u>tuberculosis</u> <u>Mycoplasma mycoides</u> subsp. <u>mycoides</u> (V株を除く。) <u>Orientia tsutsugamushi</u> <u>Pasteurella multocida</u> (出血性敗血症又は家きんコロナ由来ではない株を除く。)</p>	<p>省令第三条の第三号の文部科学大臣が定める微生物等</p> <p>(1) 原核生物のうち、次に掲げるもの(科学的知見により哺乳動物等に対する病原性がないとされているものを除く。) <u>Bacillus anthracis</u> (34F2株及びDavis株を除く。) <u>Bruceella</u>属全種 <u>Burkholderia mallei</u> <u>Burkholderia pseudomallei</u> <u>Coxiella burnetii</u> <u>Francisella tularensis</u> subsp. <u>holarctica</u> (LVS株を除く。) <u>Francisella tularensis</u> subsp. <u>mediasiatica</u> <u>Francisella tularensis</u> subsp. <u>tularensis</u> (B38株を除く。) <u>Morococcus cerebrosus</u> <u>Mycobacterium tuberculosis</u> var. <u>africanum</u> (旧分類名<u>Mycobacterium africanum</u>) <u>Mycobacterium tuberculosis</u> var. <u>bovis</u> (旧分類名<u>Mycobacterium bovis</u>) (BCG株を除く。) <u>Mycobacterium tuberculosis</u> var. <u>tuberculosis</u> (旧分類名<u>Mycobacterium tuberculosis</u>) <u>Mycoplasma mycoides</u> subsp. <u>mycoides</u> (V株を除く。) <u>Orientia tsutsugamushi</u> <u>Pasteurella multocida</u> (出血性敗血症又は家きんコロナ由来ではない株を除く。)</p>

	<i>Rickettsia aeschlimannii</i> <i>Rickettsia africanae</i> <i>Rickettsia akari</i> <u><i>Rickettsia amblyommatidis</i></u> <i>Rickettsia australis</i> <i>Rickettsia bellii</i> <i>Rickettsia canadensis</i> <i>Rickettsia conorii</i> <i>Rickettsia felis</i> <i>Rickettsia heilongjiangensis</i> <i>Rickettsia helvetica</i> <i>Rickettsia honei</i> <i>Rickettsia japonica</i> <i>Rickettsia massilliae</i> <u><i>Rickettsia montanensis</i></u> <i>Rickettsia parkeri</i> <i>Rickettsia prowazekii</i> <i>Rickettsia raoultii</i> <i>Rickettsia rhipicephali</i> <i>Rickettsia rickettsii</i> <i>Rickettsia sibirica</i> <i>Rickettsia slovaca</i> <i>Rickettsia typhi</i>
	<div style="border: 1px dashed black; padding: 5px;"> <i>Rickettsia typhi</i> </div>
	<i>Yersinia pestis</i>
	<p>(2) 真菌のうち、次に掲げるもの（科学的 知見により哺乳動物等に対する病原性が ないとされているものを除く。） [略]</p>

	<i>Rickettsia aeschlimannii</i> <i>Rickettsia africanae</i> <i>Rickettsia akari</i> <u><i>Rickettsia amblyommatidis</i> (旧分類 名<i>Rickettsia amblyommii</i>)</u> <i>Rickettsia australis</i> <i>Rickettsia bellii</i> <i>Rickettsia canadensis</i> <i>Rickettsia conorii</i> <i>Rickettsia felis</i> <i>Rickettsia heilongjiangensis</i> <i>Rickettsia helvetica</i> <i>Rickettsia honei</i> <i>Rickettsia japonica</i> <i>Rickettsia massilliae</i> <u><i>Rickettsia montanensis</i> (旧分類名 <i>Rickettsia montana</i>)</u> <i>Rickettsia parkeri</i> <i>Rickettsia prowazekii</i> <i>Rickettsia raoultii</i> <i>Rickettsia rhipicephali</i> <i>Rickettsia rickettsii</i> <i>Rickettsia sibirica</i> <i>Rickettsia slovaca</i> <div style="border: 1px dashed black; padding: 5px;"> <i>Rickettsia typhi</i> <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Paratyphi A <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhi </div>
	<i>Yersinia pestis</i>
	<p>(2) 真菌のうち、次に掲げるもの（科学的 知見により哺乳動物等に対する病原性が ないとされているものを除く。） [同上]</p>

(3) 真核生物を自然宿主とするウイルスのうち、次に掲げるもの（承認生ワクチン株を除く。）

African horse sickness virus
African swine fever virus
Andes virus
Ash River virus
Bas-Congo tbrovirus
Bayou orthohantavirus
Bhanja virus
Black Creek Canal orthohantavirus
Camp Ripley virus

Cao Bang virus

Cercopithecine herpesvirus 1 (別名B-virus)
Chikungunya virus
Classical swine fever virus (別名Hog cholera virus)
Colorado tick fever virus
Dobrava virus
Eastern equine encephalitis virus
Foot-and-mouth disease virus
Guertu virus
Hantaan virus
Heartland virus
Herpes ateles virus
Human immunodeficiency virus (略称HIV) 1 (増殖力等欠損株を除く。)
2
Hunter island virus
Imjin virus
Influenza virussの高病原性株 (

(3) 真核生物を自然宿主とするウイルスのうち、次に掲げるもの（承認生ワクチン株を除く。）

African horse sickness virus
African swine fever virus
Andes virus
Ash River virus
Bas-Congo tbrovirus
Bayou orthohantavirus
Bhanja virus
Black Creek Canal orthohantavirus
Camp Ripley virus

Cao Bang virus

Cedar virus
Cercopithecine herpesvirus 1 (別名B-virus)
Chikungunya virus
Classical swine fever virus (別名Hog cholera virus)
Colorado tick fever virus
Dobrava virus
Eastern equine encephalitis virus
Foot-and-mouth disease virus
Guertu virus
Hantaan virus
Heartland virus
Herpes ateles virus
Human immunodeficiency virus (略称HIV) 1 (増殖力等欠損株を除く。)
2
Hunter island virus
Imjin virus
Influenza virussの高病原性株 (

Highly pathogenic avian influenza virusを含む。)

Jemez Springs virus

Koutango virus

Kyasanur Forest disease virus

Laguna Negra virus

Leopards Hill virus

Louping ill virus

Lyssavirus (Rabies lyssavirusを除く。)

Lumpy skin disease virus

Luna virus

Malsoor virus

Maporal virus

Mayaro virus

MERS coronavirus

Monkeypox virus (別名Mpox virus)

Murray Valley encephalitis virus

Negishi virus

New York virus

Omsk hemorrhagic fever virus

Peste-des-petitiis ruminant virus

Powassan virus

Puumala virus

Rabies lyssavirus (固定株及び弱毒化株を除く。)

Rift Valley fever virus

Rinderpest virus

Rocio virus

Saaremaa virus

Highly pathogenic avian influenza virusを含む。)

Jemez Springs virus

Kyasanur Forest disease virus

Laguna Negra virus

Leopards Hill virus

Louping ill virus

Lyssavirus (Rabies lyssavirusを除く。)

Lumpy skin disease virus

Luna virus

Malsoor virus

Maporal virus

Mayaro virus

MERS coronavirus

Murray Valley encephalitis virus

Negishi virus

New York virus

Omsk hemorrhagic fever virus

Peste-des-petitiis ruminant virus

Powassan virus

Puumala virus

Rabies lyssavirus (旧分類名Rabies virus) (固定株及び弱毒化株を除く。)

Rift Valley fever virus

Rinderpest virus

Saaremaa virus

	<p>SARS-related coronavirus</p> <p>Seewis virus</p> <p>Semliki Forest virus (増殖力等次損株を除く。)</p> <p>Seoul virus</p> <p>Sepik virus</p> <p>Severe fever with thrombocytopenia syndrome virus</p> <p>Sin Nombre virus</p> <p>Sosuga pararubulavirus</p> <p>St. Louis encephalitis virus</p> <p>Tanganya virus</p> <p>Thailand virus</p> <p>Tick-borne encephalitis virus (Russian spring-summer encephalitis virus を含む。)</p> <p>Venezuelan equine encephalitis virus</p> <p>Wesselsbron virus</p> <p>Western equine encephalitis virus</p> <p>West Nile virus (Kunjin virusを除く。)</p> <p>Yellow fever virus</p>	<p>SARS coronavirus</p> <p>SARS coronavirus 2</p> <p>Seewis virus</p> <p>Semliki Forest virus (増殖力等次損株を除く。)</p> <p>Seoul virus</p> <p>Severe fever with thrombocytopenia syndrome virus</p> <p>Sin Nombre virus</p> <p>St. Louis encephalitis virus</p> <p>Tanganya virus</p> <p>Thailand virus</p> <p>Tick-borne encephalitis virus (Russian spring-summer encephalitis virus を含む。)</p> <p>Venezuelan equine encephalitis virus</p> <p>Western equine encephalitis virus</p> <p>West Nile virus (Kunjin virusを除く。)</p> <p>Yellow fever virus</p>
<p>4 省令 第三条 第四号の 科大臣 が定める 微生物</p>	<p>真核生物を自然宿主とするライルスのうち、次に掲げるもの(承認生ワクチン株を除く。)</p> <p>Bombali ebolavirus</p> <p>Bundibugyo ebolavirus</p> <p>Chapare virus</p> <p>Crimean-Congo hemorrhagic fever virus</p>	<p>4 省令 第三条 第四号の 科大臣 が定める 微生物</p> <p>真核生物を自然宿主とするライルスのうち、次に掲げるもの(承認生ワクチン株を除く。)</p> <p>Bundibugyo ebolavirus</p> <p>Chapare virus</p> <p>Crimean-Congo hemorrhagic fever virus</p>

物等		物等	
<p>Cueva virus Dianlo virus Guanarito virus Hendra virus Junin virus (Candidd#1株を除く。)</p> <p>Lassa virus Lloviu cuevavirus Lujo virus Machupo virus <u>Marburg Marburgvirus</u></p> <p>Nipah virus Reston ebolavirus</p> <p>Sabia virus Stria virus Sudan ebolavirus Tai Forest ebolavirus (別名 Ivory Coast ebolavirus) Thamno virus</p> <p>Variola virus (major, minor) Wenling frogfish filovirus Wenling thamnacinus septen- trionalis filovirus Zaire ebolavirus</p>		<p>Cueva virus Guanarito virus Hendra virus Junin virus (Candidd#1株を除く。)</p> <p>Lassa virus Lloviu cuevavirus Lujo virus Machupo virus <u>Marburg marburgvirus (旧分類名 Lake Victoria marburgvirus)</u></p> <p>Nipah virus Reston ebolavirus Sabia virus</p> <p>Sudan ebolavirus Tai Forest ebolavirus (別名 Ivory Coast ebolavirus)</p> <p>Variola virus (major, minor) Wenling frogfish filovirus Wenling thamnacinus septen- trionalis filovirus Zaire ebolavirus</p>	

別表第3 (第5|条関係)
「表略」

別表第3 (第4|条関係)
「同上」

備考 表中の「」の記載及び対象規定の二重傍線を付した標記部分を除く全体に付した傍線は注記である。

附 則

(施行期日)

第一条 この告示は、公布の日から施行する。

(経過措置)

第二条 この告示の施行日から令和七年 月 日（調整中）までの間に、研究開発等に係る

遺伝子組換え生物等の第二種使用等に当たって執るべき拡散防止措置については、なお従前の例
によることができる。